

Caregiver Health Services

## Caregiver post-vaccination process: CDC Guidelines

December 16, 2020



## Signs and Symptoms unlikely from COVID-19 vaccination

Applies to those who have had the vaccine within 3 days, date of vaccination being day 1

S/S consistent with COVID-19:

Cough, shortness of breath, sore throat, loss of sense of taste or smell, fever 100F or >

If known exposure to COVID-19 in last 14 days Contact CHS
Call Center
Exclude from
work, follow
normal process
for return to work

Exclude from work

https://www.cdc.gov/coronavirus/2019-ncov/hcp/post-vaccine-considerations-healthcare-personnel.html



## Signs and symptoms that **may** be: COVID-19 vaccination, SARS CoV-2 infection, or another infection

Applies to those who have had the vaccine within 3 days, date of vaccination being day 1

If no known exposure to COVID-19 in last 14 days Fever (less than 100F), fatigue, headache, chills, muscle or joint pain that are consistent with post-vaccination signs and symptoms

If caregiver feels well enough to work and is willing to work, may do so

https://www.cdc.gov/coronavirus/2019-ncov/hcp/post-vaccine-considerations-healthcare-personnel.html

# Providence

If caregiver develops even a single symptom of COVID, fever 100F or higher, or s/s persist beyond 2 days, report to CHS Call Center= exclude from work Cough, shortness of breath, runny nose, loss of sense of taste or smell, fever 100F or >